



Two-Stage Telescopic Hydraulic Cylinder
 Trunnion


Model (OD x Stroke)	Operating Pressure (MPa)	Max Pressure (Mpa)	Stroke	G	MM	A	B	C	φD	E	F	H
2TGI-98x300	4	6	300	103	27x1.5	20	5	56	70	41	22	188
2TGI-98x600	4	6	600	103	27x1.5	20	5	56	70	41	22	338

Model (OD x Stroke)	J	DE	TP	TL	X	φTO	φTU	EE
2TGI-98x300	110	90	120	180	30	35	25	Z1/4
2TGI-98x600	110	90	120	180	30	35	25	Z1/4

Two-Stage Telescopic Hydraulic Cylinder
 Side Lugs


Model (Dia. x Stroke)	Operating Pressure (MPa)	Max Pressure (Mpa)	Stroke	L	φA	φB	C	D	E	F	G	H	J
2TGI-95x600	10	15	600	580	35	60	118	50	65	15	131	110	32
2TGI-95x900	10	15	900	730	35	60	118	50	65	15	131	110	32

Model (Dia. x Stroke)	K	L1	L2	M1	M2	N	φO	P	Q	φR	φ	φd	X	Y
2TGI-95x600	247	35	56	M22x1.5	M12x1.5	140	9	110	15	20	95	25	26	19
2TGI-95x900	397	35	56	M22x1.5	M12x1.5	140	9	110	15	20	95	25	26	19

